

17 South High Street, Suite 400 • Columbus, Ohio 43215-7410 • (614) 466-3947

## **New Drugs September 2014** (Original New Drug Applications: FDA)

Oanaria Nassa	(Original New Drug Ap		ODO 4 -41 /D -1
Generic Name	Trade Name	Indication(s)	CPG Action/Date
D 1:0 :		y 2014	0.0044
Dapagliflozin	Farxiga	Endocrine & Metabolic Agents: Antidiabetic Agents: Sodium-Glucose 2 Transporter 2 Inhibitors. Indicated as an adjunct to diet and exercise to improve glycemic control	9/22/14 CTP holder may prescribe.
		in adults with type 2	
Formulary Pg. 9		diabetes mellitus.	
Umeclidinium/ Vilanterol  Formulary Pg. 13	Anoro Ellipta	Respiratory Agents: Respiratory Inhalant Combinations. Indicated for maintenance treatment of airflow obstruction in patients with chronic obstructive pulmonary disease.	9/22/14 CTP holder may prescribe.
Luliconazole	Luzu	Dermatologic Agents: Anti-Infectives, Topical. Indicated for topical treatment of tinea pedis, tinea cruris, and tinea corporis.	9/22/14 CTP holder may prescribe.
Formulary Pg. 24			
	Jun	e 2014	
Tetrastarch Formulary Pg. 8	Voluven	Hematological Agents: Plasma Expanders. Indicated for treatment and prevention of hypovolemia.	9/22/14 In accordance with the SCA.
Metreleptin Formulary Pg. 9	Myalept	Endocrine & Metabolic Agents: Lipodystrophy Agents. Indicated for replacement therapy to treat the complications of leptin deficiency, in addition to diet, in patients with congenital or acquired generalized lipodystrophy.	9/22/14 CTP holder may NOT prescribe.

Diclofenac	Zorvolex	Central Nervous System	9/22/14
		Agents: NSAIDs. Indicated for relief of	CTP holder may prescribe.
		mild to moderate acute	predonise.
Formulary Pg. 16		pain in adults.	
	Ju	ly 2014	•
Tasimelteon	Hetlioz	Central Nervous System	9/22/14
		Agents: Sedatives and	CTP holder may
		Hypnotics,	prescribe.
		nonbarbiturate:	
		Melatonin Receptor	
		Agonists. Indicated for treatment	
		of non-24 hour sleep	
Formulary Pg. 17		wake disorder.	
Ribavirin	Moderiba	Anti-Infectives,	9/22/14
		Systemic: Antiviral	In accordance with
		Agents.	the SCA.
		Indicated in combination	
		with peginterferon alfa-	
		2b for the treatment of	
Formulary Pg. 22		chronic HCV infection.	0/00/44
Miltefosine	Impavido	Anti-Infectives,	9/22/14
		Systemic: Antiprotozoals.	In accordance with the SCA.
		Indicated for treatment	the SCA.
		of visceral cutaneous	
		and mucosal	
		leishmaniasis in adults	
		and adolescents 12	
Formulary Pg. 23		years and older.	
Apremilast	Otezla	Biologic/ Immunologic	9/22/14
		Agents: Immunologic	In accordance with
		Agents: Immunomodulators.	the SCA.
		Indicated for treatment	
		of adult patients with	
Formulary Pg. 23		active psoriatic arthritis.	
	Aug	just 2014	
Elosulfase Alfa	Vimizim	Endocrine & Metabolic	9/22/14
Injection		Agents: Elosulfase Alfa.	CTP holder may
		Indicated for the	NOT prescribe.
		treatment of	
		mucopolysaccharidosis	
Formula: Dr. 40		type IVA (MPS IVA;	
Formulary Pg. 10	Northera	Morquio A syndrome)	9/22/14
Droxidopa	Normera	Cardiovascular Agents: Vasopressors.	CTP holder may
		Indicated for the	prescribe.
Formulary Pg. 12		treatment of orthostatic	produito.
·			

		dizziness, light- headedness, or the "feeling that you are about to black out" in adult patients with symptomatic neurogenic orthostatic hypotension.	
Miconazole/Zinc Oxide	Vusion	Dermatological Agents: Diaper Rash Products. Indicated for the adjunctive treatment of diaper dermatitis only when complicated by documented candidiasis in immunocompetent children 4 weeks of age	9/22/14 CTP holder may prescribe.
Formulary Pg. 24		and older.	
Ramucirumab Formulary Pg. 27	Cyramza	Antineoplastic Agents: Monoclonal Antibodies. Indicated for the treatment of gastric cancer.	9/22/14 CTP holder may NOT prescribe.
Ceritinib  Formulary Pg. 27	Zykadia	Antineoplastic Agents: Kinase Inhibitors. Indicated for the treatment of patients with anaplastic lymphoma kinase positive metastatic nonsmall cell lung cancer.	9/22/14 CTP holder may NOT prescribe.

## New Drugs Indications/ Warnings September 2014 (New Drug Indications/ Black Box Warnings: FDA

Generic Name	Trade Name	Indication(s)	CPG Action/Date
	Мау	2014	
Anti-Inhibitor Coagulant Complex Formulary Pg. 7	FEIBA	Hematological Agents: Antihemophilic Agents. New Indications for use in patients with hemophilia A and B with inhibitors for perioperative management and for routine prophylaxis to prevent or reduce the frequency of bleeding episodes.	Current: In accordance with the SCA.  9/22/14 No Change

Collagenase	Xiaflex	Dermatologic Agents:	Current:
Clostridium		Enzyme Preparations.	CTP holder may
Histolyticum		New Black Box Warning	NOT prescribe.
		for corporal rupture or other serious penile	9/22/14
		injury.	No Change
Formulary Pg. 24		injury.	140 Change
	June	2014	T
none			
	1	2014	T
Dabigatran Etexilate	Pradaxa	Hematological Agents:	Current:
		Direct Thrombin	In accordance with
		Inhibitors.	the SCA.
		New Indication for the	0/00/44
		treatment of deep vein thrombosis and	9/22/14 No Change
		pulmonary embolism.	No Change
		New Black Box Warning	
		for the potential of	
		epidural or spinal	
		hematomas to occur in	
		patients treated with	
		dabigatran who are receiving neuraxial	
		anesthesia or	
		undergoing spinal	
Formulary Pg. 7		puncture.	
Omalizumab	Xolair	Respiratory Agents:	Current:
		Monoclonal Antibodies.	In accordance with
		New indication for	the SCA.
		treatment of chronic	
		idiopathic urticaria in	9/22/14
F 1 D 10		adults and adolescents	No Change
Formulary Pg. 13 Ibrutinib Oral	I ma h m u vi a a	12 years and older.	Cumant
ibrutinib Orai	Imbruvica	Antineoplastic Agents: Kinase Inhibitors.	Current: CTP holder may
		New indication for	NOT prescribe.
		treatment of patients	ino i piescilue.
		with chronic lymphocytic	9/22/14
		leukemia who have	No Change
		received at least one	,ge
Formulary Pg. 27		prior therapy.	
, <del>,</del> , ,	Augus	t 2014	
Androgens	Testosterone gel or	Endocrine & Metabolic	Current:
	solution	Agents: Androgens.	In accordance with
		New black box warning	the SCA.
		for virilization in children	

Formulary Pg. 8		who are secondarily exposed to testosterone transdermal gel or solution.	9/22/14 No Change
Ofatumumab	Arzerra	Antineoplastic Agents: Monoclonal Antibodies. New black box warning for Hepatitis B reactivation in patients receiving ofatumumab, and for progressive multifocal leukoencephalopathy and death. New indication for the treatment of previously untreated chronic	Current: CTP holder may NOT prescribe. 9/22/14 No Change
Formulary Pg. 27		lymphocytic leukemia.	

## Review of Prescribing Designations "In Accordance with the SCA" and CTP Holder May NOT Prescribe

Gastrointestinal Agents (September 2014)

Drug Category/ Drug Name	Indication(s): If reviewing a specific drug in a drug category	Current Prescribing Designation	CPG Action/Date
	GI Stim	ulants	
Cisapride (Propulsid)	GI Stimulants. Indicated for the treatment of GERD, gastroparesis, pseudo- obstruction, or severe chronic constipation.	CTP holder may NOT prescribe.	9/22/14 No Change
Formulary Pg. 20			
	Gallstone Solul		
Gallstone Solubilizing Agents	Gallstone Solubilizing Agents.	In accordance with the SCA.	9/22/14  No change except for Ursodiol – CTP holder may prescribe
Formulary Pg. 20			

## Review of Prescribing Designations "In Accordance with the SCA" and CTP Holder May NOT Prescribe

Anti-Infectives, Systemic (September 2014)

Drug Category/ Drug Name	Indication(s): If reviewing a specific	Current Prescribing Designation	CPG Action/Date
	drug in a drug category		
	Chloramp	henicol	
Chloramphenicol	Chloramphenicol.	CTP holder May NOT	9/22/14
(Chloramphenicol	Indicated for use with	prescribe.	No Change
Sodium Succinate)	serious infections for		
	which less potentially		
	dangerous drugs are		
	ineffective or		
	contraindicated. Also		
	indicated for treatment		
Famoulani Da 04	of typhoid fever.		
Formulary Pg. 21	Chroylor	volinos	
Tigecycline	Glycylcyclines.	In accordance with the	9/22/14
(Tygacil)	Indicated for the	SCA.	No Change
(Tygacii)	treatment of community-	00A.	140 Change
	acquired bacterial		
	pneumonia, complicated		
	intra- abdominal		
	infections, and		
	complicated skin and		
Formulary Pg. 21	skin structure infections.		
	Ketoli	des	
Telithromycin	Ketolides.	CTP holder May NOT	9/22/14
(Ketek)	Indicated for the	prescribe.	In accordance with
	treatment of community-		the SCA.
	acquired pneumonia.		
Formulary Pg. 21			
Outline consists that	Streptogi		0/00/44
Quinupristin/	Streptogramins.	In accordance with the	9/22/14
Dalfopristin	Indicated for the	SCA.	No Change
(Synercid)	treatment of patients with serious or life-		
	threatening infections		
	associated with		
	vancomycin-resistant		
	Enterococcus faecium		
	bacteremia, and for		
	treatment of		
Formulary Pg. 21	complicated skin and		
	skin structure infections.		

	Lipopep	otides	
Daptomycin	Lipopeptides.	In accordance with the	9/22/14
(Cubicin)	Indicated for the	SCA.	No Change
,	treatment of		
	complicated skin and		
	skin structure infections		
	and for the treatment of		
	S. aureus bloodstream		
Formulary Pg. 21	infections.		
	Lipoglycop	peptides	
Telavancin	Lipoglycopeptides.	In accordance with the	9/22/14
Hydrochloride	Indicated for the	SCA.	No Change
(Vibativ)	treatment of adults with		
,	complicated skin and		
	skin structure infections		
	caused by susceptible		
	isolates of certain gram-		
	positive		
Formulary Pg. 21	microorganisms.		
	Oxazolio	dones	
Linezolid	Oxazolidinones.	In accordance with the	9/22/14
(Zyvox)	Indicated for the	SCA.	No Change
,	treatment of community-		
	acquired pneumonia,		
	complicated skin and		
	skin structure infections,		
	nosocomial pneumonia,		
	uncomplicated skin and		
	skin structure infections,		
	and vancomycin-		
	resistant enterococcal		
Formulary Pg. 21	infections.		
	Lincosa	mides	
Lincosamides	Lincosamides.	CTP holder May NOT	9/22/14
	Indicated for the	prescribe except for	In accordance with
Lincomycin	treatment of serious	Clindamycin.	the SCA.
(Lincocin)	infections caused by	_	
,	susceptible strains of		
	streptococci,		
	pneumococci, and		
	staphylococci, and		
Formulary Pg. 21	anaerobic bacteria.		
	Colistimetha	te Sodium	<u> </u>
Colistimethate	Colistimethate Sodium.	Parenteral- CTP	9/22/14
Sodium	Indicated for the	holder May NOT	In accordance with
(Coly-Mycin M)	treatment of acute or	prescribe.	the SCA.
(33.5 11.50 11.7)	chronic infections due to	F. 30020.	
	sensitive strains of		
	certain gram-negative		
Formulary Pg. 21	bacilli.		
· -···		1	1

Polymyxin B Sulfate				
Polymyxin B Sulfate Injection	Polymyxin B Sulfate. Indicated for the treatment of acute infections caused by susceptible strains of Pseudomonas	Parenteral- CTP holder May NOT prescribe.	9/22/14 No Change	
Formulary Pg. 21	aeruginosa.			
Bacitracin Injection	Bacitra Bacitracin. Indicated for the treatment of infants with pneumonia and empyema caused by staphylococci shown to	Parenteral- CTP holder May NOT prescribe.	9/22/14 No Change	
Formulary Pg. 21	be sensitive to the drug.  Novobi	locin		
Novobiocin (Albamycin)	Novobiocin. Indicated for the treatment of serious infections due to susceptible S. Aureus when other effective antibiotics are	CTP holder May NOT prescribe.	9/22/14 No Change	
Formulary Pg. 21	contraindicated.			
	Antifungal		T	
Antifungal Agents IV	Antifungal Agents.	In accordance with the SCA.	9/22/14 No Change	
Formulary Pg. 22  Micafungin Sodium Injection (Mycamine)	Antifungal Agents. Indicated for the treatment of patients with candidemia, acute disseminated candidiases, Candida peritonitis, and abscesses, for the treatment of patients with esophageal candidiases, and for prophylaxis of Candida infections.	In accordance with the SCA.	9/22/14 No Change	
Triazole Antifungals IV	Antifungal Agents: Triazole Antifungals.	In accordance with the SCA.	9/22/14 No Change	

Formulary Pg. 22			
•	Antituberculo		•
Antituberculosis Agents	Antituberculosis Agents. Indicated for treatment of tuberculosis.	In accordance with the SCA.	9/22/14 No Change
Formulary Pg. 22		INH – CTP holder may prescribe.	
, ,	Antiviral .	Agents	l
Foscarnet Sodium	Antiviral Agents.	In accordance with the	9/22/14
(Foscavir) Formulary Pg. 22	Indicated for the treatment of CMV retinitis in patients with AIDS, in combination therapy with ganciclovir for patients who have relapsed after monotherapy with either drug, and for treatment of acyclovir-resistant mucocutaneous HSV infections in immunocompromised patients.	SCA.	No Change
Ganciclovir	Antiviral Agents.	IV- In accordance	9/22/14
(Cytovene)  Formulary Pg. 22	Indicated for treatment of CMV retinitis in immunocompromised patients, including patients with AIDS, and for prevention of CMV disease in transplant recipients at risk for CMV disease.	with the SCA.	No Change
Telaprevir	Antiviral Agents.	In accordance with the	9/22/14
(Incivek) Formulary Pg. 22	Indicated for the treatment of genotype 1 chronic hepatitis C virus.	SCA.	No Change
Boceprevir	Antiviral Agents.	In accordance with the	9/22/14
Formulary Pg. 22	Indicated for the treatment of chronic hepatitis C virus genotype I infection.	SCA.	No Change
Simeprevir  Formulary Pg. 22	Antiviral Agents. Indicated for treatment of genotype I chronic hepatitis C virus.	In accordance with the SCA.	9/22/14 No Change

Cidofoviu	Antiviral Assenta	CTD holder May NOT	0/00/44
Cidofovir	Antiviral Agents. Indicated for the	CTP holder May NOT prescribe.	9/22/14 No Change
(Vistide)	treatment of CMV	prescribe.	No Change
	retinitis in patients with		
Formulary Pg. 22	AIDS.		
Ribavirin	Antiviral Agents.	In accordance with the	9/22/14
(Copegus,Ribasphere	Tablets – Indicated in	SCA.	No Change
Rebetol, Virazole)	combination with	304.	INO Change
(Nebetol, Vilazole)	peginterferon alfa-2a for		
	the treatment of adults		
	with chronic HCV		
	infection who have		
	compensated liver		
	disease and have not		
	previously been treated		
	with interferon alpha.		
	Capsules/Solution -		
	Indicated in combination		
	with interferon alfa-2b		
	for the treatment of		
	chronic HCV in patients		
	18 years of age and		
	older with compensated liver disease previously		
	untreated with alpha		
	interferon and in		
	patients 18 years of age		
	and older who have		
	relapsed following alpha		
	interferon therapy.		
	Inhalation – Indicated		
	for the treatment of		
	hospitalized infants and		
	young children with		
	severe lower respiratory		
	tract infection due to		
Farmandam Day 00	severe respiratory		
Formulary Pg. 22	syncytial virus.	In accordance with the	9/22/14
Adefovir Dipivoxil	Antiviral Agents. Indicated for the	In accordance with the SCA.	
(Hepsera)	treatment of chronic	30A.	No Change
	hepatitis B virus in		
	patients 12 years of age		
	and older with evidence		
	of active viral replication		
	and either evidence of		
	persistent elevations in		
	serum		
	aminotransferases (ALT		

	1 AOT) 1:41 : 11	Т	T
	or AST) or histologically		
Formulary Pg. 22	active disease.		0/00/44
Entecavir	Antiviral Agents.	In accordance with the	9/22/14
(Baraclude)	Indicated for the	SCA.	No Change
	treatment of chronic		
	HBV infection in adults		
	with evidence of active		
	viral replication and		
	either evidence of		
	persistent elevations in		
	serum		
	aminotransferases (ALT		
	or AST) or histologically		
Formulary Pg. 22	active disease.		
	Antiretrovir		
Protease Inhibitors	Antiretroviral Agents:	In accordance with the	9/22/14
	Protease Inhibitors.	SCA.	No Change
Formulary Pg. 23			
Nucleotide Analog	Antiretroviral Agents.	In accordance with the	9/22/14
Reverse	Nucleotide Analog	SCA.	No Change
Transcriptase	Reverse Transcriptase		
Inhibitor	Inhibitor.		
Formulary Da 22			
Formulary Pg. 22  Nucleoside Reverse	Antirotrovirol Agenta:	In accordance with the	9/22/14
	Antiretroviral Agents: Nucleoside Reverse		
Transcriptase		SCA.	No Change
Inhibitors	Transcriptase Inhibitors.		
Formulary Pg. 22			
Non-Nucleoside	Antiretroviral Agents.	In accordance with the	9/22/14
Reverse	Non-Nucleoside	SCA.	No Change
Transcriptase	Reverse Transcriptase	JOA.	140 Onange
Inhibitors.	Inhibitors.		
	minore of o.		
Formulary Pg. 22			
Nucleoside Analog	Antiretroviral Agents:	Not currently listed on	9/22/14
Reverse	Nucleoside Analog	the Formulary	In accordance with
Transcriptase	Reverse Transcriptase		the SCA.
Inhibitor	Inhibitor Combinations.		
Combinations			
Not currently listed on			
the Formulary			

Cellular Chemokine Receptor Antagonist  Maraviroc (Selzentry)	Antiretroviral Agents: Cellular Chemokine Receptor Antagonist.  Indicated in combination with other antiretroviral agents, for treatment of adult patients infected only with chemokine receptor 5 (CCR5)- tropic HIV-1.	In accordance with the SCA.	9/22/14 No Change	
Formulary pg. 23				
Integrase Inhibitors  Raltegravir (Isentress)  Formulary Pg. 23	Antiretroviral Agents: Integrase Inhibitors.  Indicated in combination with other antiretroviral agents for the treatment of HIV-1 infection in	In accordance with the SCA.	9/22/14 No Change	
Fusion Inhibitors	adult patients.  Antiretroviral Agents:	In accordance with the	9/22/14	
Enfuvirtide (Fuzeon)	Fusion Inhibitors. Indicated in combination with other antiretroviral agents for the treatment of HIV-1 infection in treatment- experienced patients with evidence of HIV-1 replication despite ongoing	SCA.	No Change	
Formulary Pg. 23	antiretroviral therapy.			
Langa etation	Leprost		0/00/44	
Leprostatics	Leprostatics.	In accordance with the SCA.	9/22/14 No Change	
Formulary Pg. 23	C Anti Infontivo Agontos A	lat a amma vaially availa	hlo	
CDC Anti-Infective Agents: Not commercially available  CDC Anti-Infective CDC Anti-Infective CTP holder may NOT 9/22/14				
Agents	CDC Anti-Infective Agents	CTP holder may NOT prescribe.	No Change	
Formulary Pg. 23				